**Philosophical Transactions**

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

**Please click on "Next Page" (at the top of the screen) to begin viewing the article.**

The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to *Philosophical Transactions (1683-1775).*

www.jstor.org

I. *De Conchy lijs Turbinatis, Bivalvibus & Univalvibus, item de Mineralibus, Foſſilibus, & Thermis Phillippenſibus, ex* MSS. *R. P.* Geo. Jos. Kamel. *Communicavit D.* Jacobus Petiver, *Pharmacop.* Londin. *& Soc. Reg. S.*

LAGANG doimit. Biyco. Binga *vel* Tinge *Indorum.* Eſt *Nautilus* Tubulatus ingens, faſcijs rubris circumjectis diſtinctus, ipſa puppe nigra.

2. Budiong. *Buccinum* eſt cubitale quo Indus ad indicandum periculum Inimici, Ignis aut Mortis Amici utitur.

3. Saang. *Murex* maximus, deforis ſcaber, exalbido & fuſco commaculatus, internè quam elegantiſſimè politus, ex albo rubeſcens, in ſex aduncos canaliculatos, palmares & longiores mucrones, per circumferentiam explicatus.

4. Balic-gogoco. *Purpura* eſt ſtria ſubrubra & duplici internè & deforis cincta.

5. Ganga. *Murex* alter, totus exalbidus, in ſeptem unciales & ſeſquiunciales mucrones, canaliculatos pariter, ſed uno latere tantum exeuntes diductus: *Coracoidi* ſimilis.

6. Lagang vel Lanhang *Bys*: Lumbanlinga C. Viamata bulang M. Eſt *Cochlea* maxima, muricata, ponderoſa, pendens uncias triginta, ſine animali & ſine cooperculo, apice brevi, ore ventricoſe expanſo; Exalbida deforis & Gypſea, polita verò argentea, ut eſt internè: Ex hac communiter Aceto emollita cochlearia efformantur.

Hujus

Hujus Cochleæ *operculum* Indj Bys. *Luguc* M. *Matanglahang* vocant; Scriptores *Fabam marinam*, *Umbilicum marinum*, *Umbilicum Veneris*, *Oculum marinum*: Hujate parte quâ latiſſimum palmare eſt pendens ad uncias ſex: *Marianum* communiter tantum unciale, unde & alia *verrucoſa* mittuntur. Fabam marinam *Schroderus* oculis prodeſſe & Eryſipelata tollere geſtatam ſcribit. Umbilico applicatam laudunt ad Colicam. *Vires.*

*Baccius* Sanguinem undequaq; profluentem mirificè ſiſtere tradit, parte averſa cum ſaliva fronti applicitam; in polline nimium menſium fluxum cohibere & ijs qui ſanguinem per os rejiciunt utiliter exhiberi. M. S. Miraculoſè et efficaciter Oculorum cataractas, nubeculis carnoſitates et ſuffuſiones defluxioneſve ſanare, ſi cum lacte Mulieris in vaſe cupreo atteratur, donec lac glauceſcat, & guttæ aliquot mane & ad veſperam oculis inſtillentur: In humoris magno affluxu *Faba* cum ſucco *Limonis* in vaſe ferreo circumagitur: Si vero Oculi tantum obfuſcati videantur Faba cum lacte Muliebri in vaſe argenteo confricatur.

7. Calin huga Tag. & P. *an* Alucaba *vel* Anicunub *Bys?* Eſt *Conchylium* parvum & Turbinatum, cujus odoriferum cooperculum uſtum *Indæ* oleo decoquunt. *An* Conchylium, Concha longa, Blatta Byzantia, ſeu unguis odoratus?

8. *Baniſilis.* Turbo *ſeu* Buccinum *Fabij Columnæ.* Bipalmam longum.

9. Bagongbon *vel* Balibit. *Turbo* lævis non ſtriatus marmoreus, ſubluteus, candidis & rotundis maculis ornatus, ferè ſeſquipalmaris.

10. *Alium* aſſervo palmo longiorem, apice mediocriter producto ſeu corpore *Baniſil* magis toroſo, orbibus depreſſis & in albo ſubluteis, ſubfuſcis & his ferè quadrangularibus maculis variegatum.

11. *Pulid* Indorum, *Cochlea* eſt *Cylindroides*, figuræ Cylindroidis alteræ *Ionſtonij*, coloris ſublutei, albis & fermè triangularibus undatim picturata maculis.

12. Trochus

12. Trochus *Luzon.* albis maculis, nigro reticulo textus Gazophylacij Naturæ & Artis Tab. 47. Fig. xi. *Dalimanoc* Indis. *Cochlea Pyramidalis* ſeu *Trochus inverſus* ore eſt lato in pyramidem aſſurgente apice muricato in ſubplanam ſedem coacto, palmaris, marmorea, maculis albis majoribus in nigro reticulatam conſtituentibus.

*Gazophil. Naturæ & Artis. Tab. 47. Fig. xi.*

13. Cochlea cælata. Indis *Binga* Gazophyl. Natur. & Art. Tab. 48. Fig. xiii. *Conchæ Perſicæ ſimilis*, centro parum ſinuato, apice brevi, ore ventricoſe expanſo ubi et ſulcis transverſis ad modum prominentibus cælata, lævis cæterum, cinereo, luteo & fuſco variegata.

14. Cochlea leviter muricata, ore latè in ventrem producto, exalbida ſubluteis maculis undatim triangulariterve variegata.

15. Tamongcay. *Cochlea* marina veſca, parva, ſubrotunda, albiſſima, & arena ſarcta qua ut volunt alitur.

16. Soſo *vel* Suſu. *Cochlea* eſt parva, luteſcens, veſca, ſubrotunda, fluviatilis. Cooperculo gypſeo, lævi & flaveſcente donata.

13. Omaneg. *Cochlea* ferme pugno ſuppar, noctu domus ſubrepens, & Cochlea multùm ſtrepitûs cauſans; non eſt veſca.

14. Biyoco. *Cochlea* parva, parietes & arbores ſcandens, fluviatilis.

15. Buhay. *Cochlea* fluviatilis & campeſtris ſat magna, inhærens arboribus & ſtrepitum edens.

16. Cochleas terreſtres veſcas, quibus Vineæ abundant, amplexu conglutinari & oviperas eſſe obſervavj ſæpius in *Bohemia* Anno 1684, cum ſcrobiculo ſuperimpoſitæ ova alba, orbicularia, parvo piſo paria excluderent. Ut recte ſcribit *Antonius Felix* Abbas Marſilienſis apud *Malphigium.*

17. *Tangali* Indorum, *alijs* Samong. *Trochus* eſt deforis albida & rubente cretaceave tunica obductus, politus, argenteus totus ut *Mater Perlarum* Offic. orbibus ſubplanis, ad apicem ſubverrucoſis.

18. Lisbit

18. Lisbit. *Trochus* eſt parvulus ponderoſus quo *Indi* utuntur eum retium marginibus appendendo.

19. Saliray *Indorum*. Sunt *Pectines* German: Concha Sancti Jacobj vel Peregrinorum, modo tenuiſſimè carinis ſtriatim imbricati jam minus varieq; deforis ſtriati virgatique. Interne argentej, margine Corallino limitati.

20. Talaba. *Oſtreum* eſt ordinarium ſepius Margaritiferum.

21. Conchæ *Tiquaſſay* facies extera *Kamel*, Gazoph. Nat. & Art. Tab. 45. Fig. iii. Oſtreum eſt oblongum nigrum tenue bivalve fragile, ſaxis & *Matriporis* inherens. *Gaz. Natur. & Art. Tab. 45. Fig. iii.*

22. Calantipay. *Oſtreum* tenue & delicatum.

23. *Taclobo* Indorum. *Oſtreum* eſt maximum bivalve, ſtriatim carinis palmaribus aut latioribus imbricatim rugoſum & aſperum. Hujus ſpeciej eſſe videtur *Imbricatum Tridacnes* Aldrovandinum, & illud de quo *Johnſtonius*, Maris Borneoci quod carnis habebat 47 *lib.* Monſtruoſum eſt quandoq; & ponderoſiſſimum ita ut ſæpe *Indos* captos perire faciat, alij vero brachio vel pede mutilati eradant. Non ſemel carne unius 30 & 40 Indorum ſaturati fuere. Horum unum cum aliorum Conchyliorum multitudine viſitur in altiſſimo monte *Amandivi*, quod hominem jacentem & quatuor capit aquæ urnas. Perlæ ſi non potius Lapides dicendi in his inveniuntur formæ teretis, magnitudinis digiti, non nihilum pellucidi.

24. De Conchis & Conchylijs quæ numeroſa & prægrandia in ſummis montium jugis reperiuntur varij varia: An non & ab aereo vertice a proximo mari ſublata, illibi rupto vortice dimiſſa ſpargi poſſunt?

25. *Buca*. Species eſt *Toclobo* minoris.

26. *Lattiau* Indis. *Concha Margaritifera major* perelegans & ſelectiſſima. Pedem Geometricum longa, tota nitide argentea, ferens uniones pulchros, magnos ſelectimos defertur ex *Playa Honda*. Et hanc ſi matrem Perlarum Margaritis ſubſtituere licet, ut cenſet *Serapio*, *Rondeletius & Veleſius* ſubſtituerem, a ſimilis ſiquidem prin-

cipio ſimilos ſequuntur effectus. Harum quoq; (acri lixivio decolores membranas ſeparando & alterum ex materia Cretaceâ abradendo) purgatarum pulverem in uſu Medico ipſarum Margaritarum locum optimi ſupplere poſſe cenſet *M. Liſter* in append. ad Hiſt. Animal. Angl. *Goædartio* annexo. addens ſane quantum ſcio, accomodatiſſimus eſt, ad Medicamenta quævis, in quibus requiruntur vel ipſa Margarita vel Oculj Cancrorum dicti vel ipſum Corallium. Margaritam *Ovi Gallinacej* magnitudinis videre erat in *Jolo* circa *Tabitabi* quam præter Indos plures, vidiſſe affirmavit *Petrus Durian de Montforte* Hiſpanus, Vir fide dignus.

27. *Corculum* ex *Lattiau* effictum habuit proliferum.

28. *Vnionem* proliferum proſſidet.

29. Maſſabay. *Concha* eſt *Margaritifera ordinaria*, ſeu Officinarum *Mater Perlarum*, Spithamea, argenteo-cæruleſcens, perlas habet pulchras, numeroſas, parvas comuniter, invenitur ubertim in *Paranas*, *Giguan*, *Balanguiguan*, *& Portu Acapulco*, *&c.*

*Fig.* 30. *Baliad* alijs *Bunchul.* *Concha* eſt *bivalvis*, ferme ſpithamea ex ſubplano-recurva, ad marginem interne polita, fuſco purpurea vel maculis ejuſdem coloris ſparſim variegata, deforis exalbida quaſi ſquamoſe *&* undatim imbricata. *Perlas* gignit, ſed exiguas, *&* inæquales, abundat in *Giguan.*

*Fig.* 31. Lampyron *vel* Tipay, *vel* Cappis. *Concha* eſt *bivalvis* plana, tenuis rotunda, ferme ſpithamea, lævis, candida *&* pellucida, materie conſtans prope eadem ac *Baliad*, ſeu fiſſili ut *Alumen plumoſum.* *Perlas* aliquando generat ſed pallentes & minutiſſimas. In *Luzone* vitri loco deſervit pro feneſtris. Pulverem aceto forti *&* calido ſubactum laudant ad tumorem teſtium *&* Herniam aquoſam.

*Uſus & Vires.*

*Fig.* 32. *Dilab.* Indorum. *Mytulus* eſt *niger maximus*, ſeu *Concha nigra* pedalis aut cubitalis longitudinis, interne ſplendens et perpolita, deforis modicum ſcabra *&* paucis quibuſ-

quibuſdam quaſi imbricatim unguibus aſpera, cæterum matris Perlarum tenuior; Animal *Indis* in cibum venit, ſed ſi non optime coctum fuerit, inebriat. *Vniones* gerit atras ut *Succinum nigrum*. *Vires.*

33. Concha *Luzonis* tubularis vireſcens, *Gazoph. Nat. & Art. Tab.* 32. *Fig.* ix. *Concha* caudata *Kamelj.* Boca de Pato *Hiſpan* i. e. *roſtrum Anatis.* Balay *Indis* Tag. Udpan *Bys.* Conchula eſt arctiſſime clauſa, unciam lata, biunciam longior in modum roſtri Anatis aperibilis, ad nexum palmo longiorem, candidum, duriuſculam, carneam, & fiſtularem habens caudam cujus extremo ut *Hirundo* ſaxis hæret; Animalculum formæ ferme eſt preſentis crudum, eſitatum Febrim inducit, corpus inflat & pruritum cauſat, editur probe coctum. *Gaz. Natur. & Art. Tab.* 32. *Fig.* ix. *Vires.*

34. *Concha caudata altera.* Candida eſt, ſimilis Conchæ longæ, ſed brevior obrotunda, ſolidior & latere hians, cæterum priori ſimilis. *Fig.*

35. Calangcalangan *vel* Bacacay *Bys.* Conchæ Chamæ, tineis multis, obliquis & cavis & piloſo muſco obductæ. *an* nigra *Bellonij ?* Pro Calce paranda pro *Betele.*

36. Alayan. *Tellinæ* ſpecies, venditur una cum *Bacacay.*

37. Cabebe. *Mytulus* fluviatilis.

38. *Tahong. Muſculj*, Concha longa tenuis, deforis fuſca, ſplendens interne violacea & lævis ut externe.

39. *Cabilj.* Muſculus.

40. *Luna.* Muſculus.

41. *Halaan.* Muſculus.

42. *Paros.* Muſculus.

43. *Locan.* Muſculus.

44. *Bulaburgat* Indorum. *Concha* eſt *Corallina*, deforis Pectinatim, imbricatimve aſpera, interne colore Corallino fundus inumbratur.

45. *Altera lævis ſtriata*, tantum pectinatim, deforis exalbida interne ſtriatim argentea.

*Gaz. Natur. & Art. Tab.* 10. Fig. xii.

46. Siſi. *Balani* ſunt *Gygantis* magnitudinis *Pomi Miſniacj* ſtriati figuræ nidi avium, aſſervo binos Coralloide cærulea *Bagangbang* concluſo. *Gazoph. Nat. & Art. Tab.* 10. *Fig.* xii.

Fig.

47. *Baliſungay.* Eſt *Patella* parte latiſſimâ, palmaris, deforis ſcabra exalbida gypſea; interne leviſſima & ſplendens, cujus fundum ſubfuſca quaſi *Pomum Imperialis* ſeu *Ananas* figura inumbrat, à qua novem lati & magis dilute fuſci radij & totidem albicantes ſeſe diffundunt in marginem uſque.

48. *Talacon.* Eſt *Patella* in vertice ſquammoſa, ad marginem ſetis quaſi Porcinis ſtipata.

49. Lapas *Indorum* eſt Hujas *Carina Nautilis*, 1 Johnſton. *Patella fera* ſeu *Auris marina.* Oblonga tenuis nitide argentea, palmam longa, ſeſquiunciam lata.

50. *Altera* craſſa eſt ſubrotunda deforis fuſce rubens interne argentea, forma & magnitudinis qua eleganter in *Ephem. Medic.* Decade annorum Secunda Anni quarti depingitur.

51. *Buſci*, *Bulago*, vel *Bulabo* Indorum. Eſt *Concha Venerea* pugno major, in albido, piſo paribus & fuſcis maculis varia, cæterum lævis & ſubrotunda utrumq; ubi in ſe recolligitur denticulata.

52. *Altera*, ubi in ſe recolligitur pariter utrimque denticulata, ibidem ſubplana & fuſca; in gibbo vero a primum ſubfuſcis & totidem albis faſcijs picta dein in jiſdem varijs maculis interſtincta.

53. *Tertia*, Ubi in ſe recolligitur uno tantum latere & leviter denticulata, altero ovalis interne fuſce rubens, externe tota candida. *an* Malimacan *Indorum?*

54. Sigay. *Concha* eſt *Venerea* parva, *Moneta* Siamenſium.

55. *Pinapagi.* Species *Sigay*, ſed candida.

De *Mineralibus Foſſilibus & Thermis* Philippenſibus.

1. *Carniolum pellucidum*, coloris aquæ puriſſimæ, Camphoræ, Lactis, Perlarum, Succini luteſcentis & loturæ carnium, uti eſt plurium enumeratorum colorum in uno, collegi *Anno* 1688 In littore *Umatag*, inſulæ *Marianarum* Quajhan. Deferuntur ut puto torrentium curſa ex Mediterraneis in littus, ubi cum *Faba Marina minori* collegi.

2. *Diamantes*, in *Ozhon* effodiuntur, minus pretioſi.

3. *Sangavalj*. Gemma rubens mediæ eſtimationis.

4. *Cabigin. Cornerina* Hiſpan. Eſt *Onychinus*, defertur *Borneo* & Gumaca.

5. Batobalani *vel* Pauhinangay, *Magnes.* in *Paracalenſi* eruitur territorio.

6. *Cancer* de Haynan: *Lapideus* eſt cum aceto diſſolutus, et inunctus inflamationes & tumores reprimit. Hauſtus Febribus, diarrheis, Dyſenterijs, Colicæ & Cholera morbo medetur. *Doſis* ʒß ad ʒj. *Vires.*

7. *Cancri Petrifacti* inveniuntnr et in Fluminibus *Palicpicanis* una cum ligno *Molavin* & *Canna Indica vera* petrefactis. Ut in torrentibns *Paracalenſibus et Albayanis.*

8. Lapis *Conchiformis* & *Cochleæ-formis ex* fontibus *Jucatan* pro *Bezoar* habetur, uti et ille tunicatus torrentis *Tunaſſan.*

9. *Ceraunia Cruciformis.* In Provincia *Panay*, in territorio *Damalag*, circa montem *Pangingalon*, cum fulmine dejiciuntur *Cruces Lapideæ* perfectiſſimæ, coloris dilute cæruleſcentis aliæ, aliæ obſcure, magnitudinis ſequiuncialis.

10. Gloſſopetras *Melitenſibus* ſimilimas, effoſſas & collectas in Provincia *Hilocos* Manilam attulit D. *Thomas Caruzalegui* ubi Indi eas cum fulmine dejici referunt, & *Linguas Fulminis* vocant. Venenis hæ non reſiſtunt. *Plinius* et alij apud *B. Cæſium* eas Lunâ deficiente de cælo decidere

decidere tradunt. Hinc *Schroderus* poſt *Cerauniam* collocant.

11. *Lapis Frigidus* de Cananor. *Luſitanis* Pedra fria. *Lapis* eſt *Nephritico* magis durus, facie fiſſilis, coloris pa-
*Vires.* learis, virideſcentis, & praſſinj, quandoq; filamentoſus, ut *Alumen plumoſum*. Laudant contra Febres & Diarrheas.

12. *Lapis Nephriticus* Chinenſis. *Sinis* Sia. Affertur in vaſa majora, & animalia elaboratus, coloris terrej;
*Vires.* luteſcentis, flavi, virideſcentis, ſubpurpurei, albicantis
*Vires.* & rubris ſtrijs variati & ſubfuſci, nigricantis, & ex varijs coloribus commaculatus, commendatur ad dolores Nephriticos, & ardorem urinæ.

13. *Lapis Quadratus*. Luſitanis *Pedra du Ferro*. Coloris inter *Magnetem* & *Hæmatitem* medij, Figura quadrangularis unde nomen, confractus non niſi in partes quadratas viſitur. Inter duorum digitorum ungues in gyrum
*Vires.* verſatur. *An* Species *Magnetis*, vel *an* Siderites *Plinij?* Liquor in quo circumactus, aut attritus fuerit, Viperarum & aliorum venenatorum ſuccurrit ictibus potus, & illitus Ad Partum facilitandum, fœtum mortuum educendum, ſecundinas pellendas; menſes & urinam ciendam, grumos ſanguinis extravaſati deturbandos propinatur idem liquor, vel inungitur Oleum, in quo attritas fuit, vel integer lapis fæmori alligatur. In Cephalalgia, Odontalgia, Ventriculj cruciatibus, Melancholia, Cholera morbo, Colicis & Iliacis doloribus, Stomachi repletione prodeſſe & alvum laxare ferunt, ſimiliter ad Diarrheas, Dyſenterias & Teneſmum commendant. *Liber* de ſimplic. Medic. *Galeno* attributus. Habet *Lapis Quadratus* in *Ægypto* invenitur & eſt exalbidus. *Viros* habet viſcidas & ſtringentes unde conceptum vitiare dicitur, *&c.*

14. *Lapis Specularis Antipolanus*. Abundat in montibus *Paynam*. Candidus eſt, fragilis, in angularia & nitentia fragmina diſſiliens, non tamen in bracteas ſciſſilis.

15. *Lignum* Molavin *Petrefactum* aſſervo *Paracalenſe* exalbidum, corticem verſus ſubfuſcum, ſubluſtre & *Pyrite*

compar ſoliditate. Ipſius Ligni pectinibus ſtriatim.

16. Alia *fruſtra* habui coloris ſubglauci.

17. *Aliud* fruſtrum aſſervo *Palicpicanum*, verum non videtur eſſe Ligni *Molavin* ſed potius Ligni *Guixo*. Coloris æruginoſi, corticem verſus luteo & rubente & fuſco varium, pectinibus minus rectis quaſi interruptis.

18. Popal. Ceruſſa.

19. Tavas. Alumen.

20. *Terra* Chinenſis *Lokamſig*. Alba, odorata lapideſcens & aqua non diſſluens eſt.

21. *Terra* Mexicana *Montis Jeſus*. Fuſca eſt bituminoſa, ſaponis inſtar pinguis & lævigabilis, aqua non diſſluens.

22. *Terra* argillacea alba, *Medullæ Lunæ* accedens, *Creta* candidior nec uſta nigreſcens. *Savonglupa* Indis.

23. *Terre* Argillaceæ variorum colorum, ut in montibus Thermarum calidarum *Lacus* Bay.

24. *Bolus* communis. *Barha* Indis.

25. Ochra *Europeæ* ſimilis.

26. *Gypſum* eruitur Tunaſſanam ad flumen. *Anapog* Indis.

27. *Guancabamba*, de quo *Calantza*, Lapis eſt albus creſcens in ſaxo nigro *Peruvij*, ac ſi viveret. Valet ad Ulcera, Vulnera, Hæmorrhagias, Diarrheas, Dyſenterias & Dyſuriam. *an* Species Lactis Lunæ ? *Vires.*

28. *Bezoar Minerale* Siculum, *alijs* Polvos de Funda caro. *Terra* eſt *Lapidea* coloris ex albido cinerej ponderoſa. Operari volunt ſuaviter per feceſſum, vel per urinam, vel ſudorem vel inſenſilem tranſpirationem. Propinant cum liquore conveniente horis medicis, bis alij quater per Diem, pondere ʒij pro Doſi. Dilaudant ut Panacæam univerſalem ad omnes morbos, ſpecifice vero contra Febres malignas, continuas, intermittentes, tertianas & quartanas. Ad Flatuum moleſtiam, Diarrheas, Dyſuriam, mixtum. Sanguinis, Eryſipelata, Impetiginem volaticam, Pruriginem ſudamina, Herpetem, Scabiem, *Vires.*

biem, Lepram, & alios affectus cutaneos. Imo et obſtructiones, ſed quiſq; ſuo abundet ſenſu, ego ſaltem nunquam inſignioribus obſtructiones laborantibus. Hoc *Bezoar*, vel *Caſpar Antonianum*. vel Nicholao Manuchianum exhibuj, vel exhiberem, quia ſcio plures horum frequentiori uſu plus damnj quam utilitatis reportaſſe, quod non contingit ex uſu Lap. *Bezoar* veri, ut pote ſubſtantia magis ſolubilis.

In Auriferis montibus *Buraguen* invenitur.

29. Flos Sulphuris Nativus, ſeu Mineralis levis, niveus, inſipidas & quaſi ſolubilis: *An* Species *Lactis Lunæ?* Ubi hic efloreſcit, ſubjacet Lapis durus, albus, hinc inde ſubnitens, ex parvis conglomeratus fragminibus, inſipidus: *Floris Mater.*

30. Sulphur Nativum, vivum, ſeu virgineum, ſolare, leve, citrino aureum, ſplendens, & pellucidum in fragilibus glebis.

31. *Sulphur Minerale.* Sanaya & Matilang Indis. Eſt purum virens, ex quo liquato addito oleo fit fuſcum, cujus quotannis circiter Centarij colliguntur & diſtrahuntur.

32. *Porog.* Indis B. *Sapo* Tag. *Terra Sigillata* rubra, butyracea, accedens Auxungiæ ſolis, quâ *Aurum* tingunt.

33. *Thermæ Calidæ*, in Provincia *Albay*, ad montem excelſum ignivomum. Ibidem flumen, quod 24 horarum ſpatio, *Plantas*, *Ligna*, *Piſces* in *Lapides* convertit.

34. *Thermæ Calidæ* ad *Lacum Bay*, Aqua ſalubris, lagena una evaporizata, relinquit ſalis ſubſulci, albeſcentis. ℈ij.

35. *Thermæ Calidæ* ad montes *Buraguen*, *Paynan* & *Paracale*.